



GUANTE **SUPERFLEX** CLUTE®



Descripción:

Los guantes de protección recubiertos con látex corrugado, son los guantes de protección industrial de uso general, ideales para proteger a las personas de los procesos ofreciendo un excelente nivel de agarre, destreza y comodidad. Tejido sin costura de Poly algodón de galga N° 10, "estilo de dorso descubierto" brinda excelente frescura, sensibilidad y flexibilidad minimizando la fatiga de la mano e incrementando la productividad.

Características:

- Diseño ergonómico asegura una máxima comodidad y minimiza la fatiga de la mano
- Posee un excelente agarre en cualquier situación húmeda y seca.
- Resistencia a los aceites y grasas industriales.
- Recubrimiento de látex libre de silicona, otorga una resistencia mínima de corte de nivel 1.
- Lavable para facilitar su uso y otorgarle mayor productividad y durabilidad.
- Revestimiento resistente al rasgado.
- Calificación de 5 en destreza.
- Excelente en la manipulación que requiera un tacto elevado.

Aplicaciones:

- Ensamblajes de piezas medianas y pequeñas.
- Construcción y albañilería.
- Manipulación de materiales.
- Empleo de herramientas e instrumentos.
- Labores de almacén, envío y entrega de mercaderías.
- Mantenimiento en general.
- Operaciones de cableado.
- Áreas de inspección.

Aprobaciones:

Abrasión	0	1	2	3	4	5
Corte	0	1	2	3	4	5
Desgarro	0	1	2	3	4	5
Pinchazo	0	1	2	3	4	5



2242

Ni el vendedor ni el fabricante serán responsables de cualquier lesión personal, pérdida o daños ya sean directos o consecuentes del mal uso de este producto. Antes de ser usado, se debe determinar si el producto es apropiado para el uso pretendido.



Siguenos:



@importadoraconsuelo

RAZON SOCIAL:

IMPORTADORA CONSUELO E.I.R.L.

R.U.C.: 20611465786



Notified body N° 0075

EC-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

Certificate N°

0075/1182/162/10/12/0795

Is given to the following model of personal protective equipment :

Product reference : L1105

Description :

PPE Type : Protective gloves against mechanical risks.

Reference standard : EN 388 : 2003.

Category : II

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate.

Issued in Lyon by Lionel Gaudillere
Head of CE marking

Date of issue : October 12th, 2012



In application of the Directive ref 89/686/EEC of the 21th December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decree N°92-765, 766 and 768 of the 29th July 1992 concerning the transposition of this Directive into French law, CTC is notified by decree of the Ministry of work of the 20th December 2010 and is registered under the number 0075 in CJEU.



4 rue Hermann Frenkel 69597 Lyon cedex 07 FRANCE
Tel : 33.472.761.010 - Fax: 33.472.761.000 - email: ctclyon@ctcgrupe.com - www.ctcfi
Cofité professionnel de développement économique sur chaussure manœuvrière
Siret 77564072900160 - code NAF 9410Z - TVA FR 88776849726



Síguenos:



@importadoraconsuelo

RAZON SOCIAL:
IMPORTADORA CONSUELO E.I.R.L.
R.U.C.: 20611465786



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 32-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctc-groupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.05.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/1182/162/10/12/0795

To the following model of personal protective equipment :

* protective glove against mechanical risks.

* reference of the model : L1105

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on October 12th, 2012

Issued by Lionel GAUDILLERE



NOTA : Any modification in any items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



Síguenos:



@importadoraconsuelo

RAZON SOCIAL:

IMPORTADORA CONSUELO E.I.R.L.

R.U.C.: 20611465786



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : L1105

Basic Model

Dated : OCTOBER, 2012

Black latex coated glove

Available sizes :

10

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	black	latex		
	yellow	polyester	10 gauge	
BACK	yellow	polyester	10 gauge	
LINING				
CUFF	yellow	polyester	10 gauge	
BINDING	black/blue	polyester		



Siguenos:



@importadoraconsuelo

RAZON SOCIAL:
IMPORTADORA CONSUELO E.I.R.L.
R.U.C.: 20611465786



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60134-10, SH61801-12, SH60928-12		SH60134-10, SH61801-12
Azo	SH60134-10, SH61801-12, SH60928-12		
EN 388	SH60177-10, SH60134-10		

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
2	1	4	3

The levels of performance have been measured on the palm



Síguenos:



@importadoraconsuelo

RAZON SOCIAL:
IMPORTADORA CONSUELO E.I.R.L.
R.U.C.: 20611465786




3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: L1105
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:



Reference of the product	:	L1105
Technical file index	:	01
Last update	:	OCTOBER, 2012

IDENTIFICATION

Reference of the product :	:	L1105
Technical file index :	:	01
Last update :	:	OCTOBER, 2012



Síguenos:



@importadoraconsuelo

RAZON SOCIAL:
IMPORTADORA CONSUELO E.I.R.L.
R.U.C.: 20611465786



GLOVE DESCRIPTION

Glove description :

Black latex coated glove

Visual description:**Available sizes :**

Minimum length of glove (mm)	Sizes
260	10

Glove constitution :

	Reference	Colour	Material	Surfatic mass	Gauges	Thickness
PALM		black	latex	450g/m ²		
		yellow	polyester	475g/m ²	10 gauge	
BACK		yellow	polyester	475g/m ²	10 gauge	
LINING						
CUFF		yellow	polyester	475g/m ²	10 gauge	
BINDING		black/blue	polyester			



Síguenos:



@importadoraconsuelo

RAZON SOCIAL:
IMPORTADORA CONSUELO E.I.R.L.
R.U.C.: 20611465786



PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 :

yes

Chromium VI lower than the detection limit : conform

Size : conform

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	2
Blade cut resistance	1
Tear strength resistance	4
Puncture resistance	3



Síguenos:



@importadoraconsuelo

RAZON SOCIAL:
IMPORTADORA CONSUELO E.I.R.L.
R.U.C.: 20611465786



TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60134-10, SH61801-12, SH60928-12		SH60134-10, SH61801-12
Azo	SH60134-10, SH61801-12, SH60928-12		
EN 388	SH60177-10, SH60134-10		

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo

Glove's reference : L1105

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictograms

Marking example :



Method of marking on the glove :

PRINTING ON THE BACK OF GLOVE

Packaging :

12PAIRS/POLYBAG; 120 PAIRS/CARTON



Síguenos:




@importadoraconsuelo

RAZON SOCIAL:
IMPORTADORA CONSUELO E.I.R.L.
R.U.C.: 20611465786



MEANS OF CONTROL

operate strictly according to ISO 9001:2008



Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 9001:2008

Holds Certificate No.: FR 543437

and operates a Quality Management System which complies with the requirements of ISO 9001:2008 for the following scope:

The manufacture of coated working and safety gloves.
注胶类劳保手套的生产。

For and on behalf of BSI:

Gary Fenton, Global Assurance Director

Originally registered: 06/08/2009

Latest Issue: 17/03/2012

Expiry Date: 16/03/2015



Page: 1 of 1

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.

An electronic certificate can be authenticated www.bsiglobal.com/certificates

Printed copies can be requested at www.bsiglobal.com/certificates or telephone +44 16 33 557000.

Further certifications regarding the scope of this certificate and the applicability of ISO 9001:2008 requirements may be obtained by consulting the organization.

This certificate is valid only if presented original copies are in complete set.

Information and Contact BSI, Knowledge Court, 889 Avenue, Boreham, Essex, United Kingdom S40 8PP. Tel: +44 16 33 557 000
BSI Assurance Ltd Limited, registered in England under number 7406851 at 20th Grosvenor Lane Road, London EC4A 3DF, UK.
A member of the BSI Group of Companies.



Siguenos:



@importadoraconsuelo

RAZON SOCIAL:
IMPORTADORA CONSUELO E.I.R.L.
R.U.C.: 20611465786



INSTRUCTION FOR USE

Glove reference : L1105

Available sizes : 10

Glove description :

Black latex coated glove

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (OC75)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :



Application :
Mechanical hazard - EN 388



2143

Levels of performance

Abrasion resistance	2	(on 4 max)
Blade cut resistance	1	(on 5 max)
Tear resistance	4	(on 4 max)
Puncture resistance	3	(on 4 max)

Protection limit :

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.



Síguenos:



@importadoraconsuelo

RAZON SOCIAL:
IMPORTADORA CONSUELO E.I.R.L.
R.U.C.: 20611465786