



BUZO MACROGUARD CLUTE®



Descripción:

Los buzos de esta línea son de uso limitado e ideales para ser utilizados en ambientes no peligrosos donde pueden proteger a las personas de la penetración de la suciedad, mugre, partículas, salpicaduras químicas o derrames.

Características:

- Fabricados con la tecnología SFL (Spunbond Film Laminated) o Film Microporoso Laminado.
- Composición: Fibra no tejida de polipropileno PP (60%) y polietileno PE (40%). La capa interna es polipropileno no tejido, la cual otorga una combinación de suavidad, durabilidad, resistencia al desgarro y protección.
- La capa externa es un recubrimiento de una película laminada de polietileno, que otorga protección contra líquidos y partículas bajo presión.
- Ofrece un bajo nivel de generación o desprendimiento de pelusas, lo que lo hace ideal en aplicaciones donde este atributo es crítico.
- Cuenta con un tratamiento laminado respirable, permitiendo la evapotranspiración, regulando la temperatura corporal y evitando el estrés térmico.
- Ofrece resistencia a la abrasión, una alta capacidad de filtración mecánica ante partículas y es un excelente regulador de temperatura ante condiciones de frío.
- Otorga una alta relación beneficio/costo de protección.
- No se afecta con la humedad, es libre de látex en su composición y no se usa ante fuego directo.
- Densidad del material: 50 g/m.
- Color blanco, cuenta con capucha, cierre frontal y elástico en la cintura, puños y tobillos.
- El tipo de costura es fileteada o diamante, apropiada pues provee fortaleza, mejora el ajuste, el movimiento del usuario y otorga durabilidad al traje.



Ni el vendedor ni el fabricante serán responsables de cualquier lesión personal, pérdida o daños ya sean directos o consecuentes del mal uso de este producto. Antes de ser usado, se debe determinar si el producto es apropiado para el uso pretendido.



Síguenos:



@importadoraconsuelo

RAZON SOCIAL:
IMPORTADORA CONSUELO E.I.R.L.
R.U.C.: 20611465786



Aplicaciones:

- Manipulación de líquidos.
- Mantenimiento y limpieza general.
- Lavado a presión.
- Aplicaciones de pintura automotriz e industrial.
- Procesamiento de alimentos.
- Fumigaciones.
- Avícolas.
- Limpieza de tanques o calderas.
- Veterinarias.
- Laboratorios.

OVEROL DESECHABLE MODELO MACROGUARD MARCA CLUTE SGS INFORME DE PRUEBA N° SHHG1401002795SD

PROPIEDADES	METODO DE ENSAYO	RESULTADO - MACROGUARD
Transmisión y bloqueo de la radiación ultravioleta.	AATCC 183:2010	Factor de Protección Ultravioleta (UPF): 34 Bloqueo UV-A 95.73% Bloqueo UV-B 97.39%
Resistencia a la tracción.	ISO 13934-1:2013	Deformación (N) 62 Tramado (N) 36
Transmisión de vapor a través del tejido	ASTM E96/E96M-2010 Procedimiento A - Método Desiccant a 23 °C (73.4 °F) & 50±2% HR	Gramo por metro cuadrado por 24 horas: 2021
Resistencia al agua	AATCC 35-2006 Prueba de lluvia - 600 mm presión de alto impacto por 2 min.	Promedio 0.0
Gramaje	ISO 13801:1977, Method 5	50 g/m ²
Color		Blanco
Flamabilidad	16 CFR Part 1611	Longitudinal: Aprobado Transversal: Aprobado No debe exceder 1.2 pulgadas/segundo
Resistencia superficial de la tela no tejida	EN 1149-1:2006 Condiciones de la evaluación: Voltaje aplicado y tiempo: 100V por 15 segundos Temperatura: 23±1 °C Humedad relativa: 25± 5%	Resistividad Superficial (ohm): > 1.0x10 ¹⁴ Resistencia Superficial(ohm): >5.0x10 ¹²
Espesor de la tela no tejida	ISO 9073-2:1995/Cor. 1 1998	Espesor (mm) 0.29
Composición		42% PE 58% PP



Síguenos:



@importadoraconsuelo

RAZON SOCIAL:
IMPORTADORA CONSUELO E.I.R.L.
R.U.C.: 20611465786



CENTROCOT



CENTROCOT
Innovation experience



Notified Body n. 0624

© Centro Tessile Cotoniere e Abbigliamento S.p.A.
P.zza Sant'Anna, 2 - 21052 Busto Arsizio (VA)
tel. +39 0331 806711 - fax +39 0331 890058

EU TYPE-EXAMINATION CERTIFICATE

No **CE 1008200015 -00 -00**

According to "Regulation (EU) 2016/425 of the European Parliament and of the Council" of 9th March 2016 on Personal Protective Equipment and repealing Council Directive 89/686/EEC

Centro Tessile Cotoniere e Abbigliamento S.p.A.
P.zza Sant'Anna, 2 - 21052 Busto Arsizio (VA) - Italia

EEC Notified Body N° 0624

- in view of the firm's application submitted on: 17.01.2020;
- in view of the positive results of the Technical File verification submitted by the manufacturer together with the above mentioned request;
- in view of the manufacturer's declaration stated in the Technical File attached to the above mentioned request
- having verified that technical specification of design and manufacture is in compliance with basic requirements specified in annex II of Regulation (EU) 2016/425 and that technical manufacturing documentation is in compliance with above mentioned specifications;
- in view of the positive test results carried out on the basic model representative of production according to paragraph 4 of annex V of Regulation (EU) 2016/425:

Issues to:

the EU Type-Examination Certificate concerning the following PPE model:

CHEMICAL PROTECTIVE COVERALL

Code XY55-L

III (third)

The model of Personal Protective Equipment is subject to conformity to type assessment according to Section 19 c) of Regulation (EU) 2016/425 (Module C2 or D)



Page 1 / 3

PRD N° 1638 LAB N° 0033
LRT N° 134
Signatory of SA, SP and SUC
Mutual Recognition Agreements



Síguenos:



@importadoraconsuelo

RAZON SOCIAL:
IMPORTADORA CONSUELO E.I.R.L.
R.U.C.: 20611465786



CENTROCOT



CENTROCOT
Innovation experience



Notified Body n. 0634

© Centro Tessile Cotoniario e Abbigliamento S.p.A.
I - Piazza S. Anna, 2 - 31060 Busto Arsizio (VA)
Tel. +39 0331 690711 - Fax +39 0331 690756

Basic type description

art. XY55-L

One-piece coverall, with hood, zipper at front opening covered by flap with adhesive tape, elastic cuffs, ankles and waist, finger loops at cuffs, simple seams.

Fabric:
52% polypropylene + 48% polyethylene film, 55 g/m², white.



Variations description

art. XY55-S

As the basic model in size S

art. XY55-M

As the basic model in size M

art. XY55-XL

As the basic model in size XL

art. XY55-XXL

As the basic model in size XXL

art. XY55-XXXL

As the basic model in size XXXL

Possibility to manufacture the coverall in orange colour

Possibility to add transfer reflective stripes in grey colour

Sizes

S, M, L, XL, XXL, XXXL, XXXXL

Standards

EN ISO 13688:2013	Protective clothing - general requirements
EN 13034:2005+A1:2009	Protective clothing against liquid chemicals - Performance requirements for chemical protective clothing offering limited protective performance against liquid chemicals
EN ISO 13982-1:2004 +A1:2010	Protective clothing for use against solid particulates - Part 1: Performance requirements for chemical protective clothing providing protection to the full body against airborne solid particulates
EN 1149-6:2018	Protective clothing - Electrostatic properties - Part 6: Material performance and design requirements

EU type-examination certificate No. CE 1008200015-00-00 ANHUI

Page 2 / 3



PRD N° 1638 LAB N° 0933
LAT N° 326
Signature of SA, DM and SAC
Rubric Recognition Agreements



Siguenos:



@importadoraconsuelo

RAZON SOCIAL:
IMPORTADORA CONSUELO E.I.R.L.
R.U.C.: 20611465786



CENTROCOT



CENTROCOT
Innovation experience



Notified Body n. 0624

© Centro Tessile Cotoniario e Abbigliamento S.p.A.
1 - Piazza S. Anna, 2 - 21052 Busto Arsizio (VA)
tel. +39 0331 696711 - fax +39 0331 690068

EN 14325:2004

Protective clothing against chemicals -
Test methods and performance
classification of chemical protective
clothing materials, seams, joins and
assemblages

Performance levels

EN ISO 13982-1	Type 5	protection against airborne solid particulates
EN 13034	Type 6	limited protective performance against light spray, liquid aerosol or low pressure, low volume splashes

Use

Clothing to be worn to protect against light spray, liquid aerosol, airborne solid particulates, radioactive particulates. Clothing with limited flame spread and dissipative properties. Other uses than those listed above are excluded.

Tests

The test results are included in the report.: 17RA09757, 17RA09762, 17RA09769, 17RA11922.

Marking

The following information are listed on the label inside the garment:

- CE marking
- Company name
- Article code
- Standards
- Standardized pictograms
- Maintenance symbols
- PPE category

Validity

- This certificate has 5-year validity from issue date. On expiration date the Manufacturer will be responsible to require the renewal.
- The applied standards are the ones currently valid at issue date of this Certificate. The certificate validity is not ensured in case of reviewed standards before the expiry date.
- Any change on model and materials object of this Certificate shall be notified and then approved by Centrocot.

This certificate must be filed by the manufacturer and must be shown, if requested, to the Body that performs controls or to the surveillance authority

Busto Arsizio,

Issue date:
20th January 2020

Expiry date:
20th January 2025



General Manager
Dr. Grazia Cerini



PRD N° 553B LAB N° 0533
LAT N° 228
Signatory of EA, SF and SUC
National Accreditation Authority



Siguenos:



@importadoraconsuelo

RAZON SOCIAL:
IMPORTADORA CONSUELO E.I.R.L.
R.U.C.: 20611465786